

KAPPAVON EN

Crease-preventing agent

Chemical composition	aqueous acryl amide preparation
Appearance	colourless, turbid, viscous liquid
pH-value 20 °C	6 – 9 (product)
Density 20 °C (g/ml)	approx. 1.0
Ionic charge	nonionic

Function

KAPPAVON EN has significant crease-preventing properties, so in many cases tubular sewing is unnecessary.

KAPPAVON EN

- intensifies the slide effect and the suppleness in the process.
- improves the running properties.
- imparts a smooth finish.
- is active throughout the process temperature range.
- levels different loadings in jet and overflow equipment.
- shows no negative influence on dyestuffs, dyeings and optical brighteners.
- has no retarding effect.
- results in good fastnesses.
- is resistant to acids, alkalis and electrolytes.
- is temperature stable.
- does not cause yellowing
- is foam-free and shear stable.

Application

KAPPAVON EN is an excellent crease-preventing agent for all types of fibres and their blends. The product is especially suitable for scouring, bleaching and dyeing, also with reactive dyestuffs. KAPPAVON EN can be used for all discontinuous processes with high liquor kinetics as well as for continuous rope treatment processes.

Recommended application level, depending on type of fabric, weight and liquor ratio:

- 1 – 3 g/l KAPPAVON EN

Dilution instruction

KAPPAVON EN can be diluted in cold water at any ratio.

Storage

KAPPAVON EN remains stable for at least 1 year if stored properly and cool in a tightly closed original container.

Do not expose to frost!

Contact

KAPP Chemie
 info@kapp-chemie.com
 +49 / 6772 / 9311-0



Standards (further on request)

- GOTS